

| | Hits | Search Text | DBs |
|---|-------|---|---|
| 1 | 23469 | ((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS. | USPAT |
| 2 | 53619 | ((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 9088 | ((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221"))) and (director\$3 and (higher or above or upper or superior or advanced or elevated)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 2152 | (((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221"))) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 1868 | ((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221"))) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|---|---|
| 6 | 4906 | referenc\$4 with director\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 454 | (((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|---|---|
| 8 | 83 | (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (referenc\$4 with director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|---|---|
| 9 | 140 | (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 10 | 35 | (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and (referenc\$4 with director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 11 | 4 | (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (referenc\$4 with director\$3)) and (director\$3 with higher) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 12 | 68 | (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and publish\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 13 | 17 | ((((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and publish\$6) and (referenc\$4 with director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 14 | 68 | (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and publish\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 15 | 50 | (((("6330073") or ("5884309") or ("6442571") or ("6154751") or ("6415278") or ("5668897") or ("6105042") or ("5210824") or ("5351276") or ("5438662") or ("5446740") or ("5452379") or ("5568489") or ("5724574") or ("5760775") or ("5790119") or ("5845301") or ("5872569") or ("6016494") or ("6070177") or ("6092091") or ("6092067") or ("6026416") or ("5280609") or ("5300943") or ("5642288") or ("5861958") or ("6230173") or ("4975948") or ("5179718") or ("5291405") or ("5392447") or ("5557515") or ("5619571") or ("5625770") or ("5715443") or ("5737533") or ("5812995") or ("5831631") or ("5877963") or ("5893908") or ("5973693") or ("5999968") or ("6002853") or ("6016491") or ("6064977") or ("6154840") or ("6161102") or ("6243724") or ("6301660")).PN.) not ((((((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221"))) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (serv | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 16 | 1457 | (((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 17 | 463 | (((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 18 | 429 | (((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 19 | 118 | (((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 118 | ((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and (drive\$1 or (server\$1 with name\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 21 | 79 | (((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and (drive\$1 or (server\$1 with name\$1))) and (referenc\$4 with director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 0 | (((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and (drive\$1 or (server\$1 with name\$1))) and (referenc\$4 with director\$3)) and (higher adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 23 | 7 | ((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and ((first and second) adj path\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 24 | 1 | (((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and (drive\$1 or (server\$1 with name\$1))) and (referenc\$4 with director\$3)) and ((higher or above) adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 25 | 50 | (("6330073") or ("5884309") or ("6442571") or ("6154751") or ("6415278") or ("5668897") or ("6105042") or ("5210824") or ("5351276") or ("5438662") or ("5446740") or ("5452379") or ("5568489") or ("5724574") or ("5760775") or ("5790119") or ("5845301") or ("5872569") or ("6016494") or ("6070177") or ("6092091") or ("6092067") or ("6026416") or ("5280609") or ("5300943") or ("5642288") or ("5861958") or ("6230173") or ("4975948") or ("5179718") or ("5291405") or ("5392447") or ("5557515") or ("5619571") or ("5625770") or ("5715443") or ("5737533") or ("5812995") or ("5831631") or ("5877963") or ("5893908") or ("5973693") or ("5999968") or ("6002853") or ("6016491") or ("6064977") or ("6154840") or ("6161102") or ("6243724") or ("6301660")).PN. | USPAT |
| 26 | 845 | director\$3 with higher | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 27 | 70 | search\$4 with director\$3 with higher | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 28 | 7 | (director\$3 with higher) and (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 29 | 7 | ((director\$3 with higher) and (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/850) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.))) and (@ad < "20011221") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |